

INDEX

Symbols

& (AND) D6-2
DATA D4-15,D4-16,D4-19
.DO extension S3-5,D9-4
.PAGE D4-26
< symbol D1-16
[#] sign D1-3
| (OR) D6-3

A

A record number D1-20
access- outline T3-3
Access- Report Specifier
D9-1
access- Review/Revise T5-5
access- Super ROM T3-1
Access- TEXTS 3-5
access- Thought T3-2
Access- View D8-7
adding to the outline T6-4
additional headings T4-6
Alphabetical sort T8-6
Altering the merge file
D3-9
amended view file D4-32
amending secondviewpoint
D4-34
applications T10-1
arrows S3-3
ascending order sort
S3-11
automatic settings
T9-1,T9-2,T9-4

B

background text D1-3,D1-5
backup S2-1
beginning line T3-3
Bid Example T5-1

BKSPT 4-11
blank headline T10-2
blank line T9-39
blank window T4-7
blinking cursor T6-3
block T8-3
block T8-8
block definition T8-11
block definition T8-8
block selection T8-4
Break 1 counter D4-29
Break 1 criterion D4-28
Break 1 footer template
D4-26
Break 1 header template
D4-26
Break 2 criterion D9-7
Break criteria D10-4
break criteria D6-12
break footer D9-14
break header D9-14
Break/Pause key T9-22
Break1 footer template
D9-15
Break1 header template
D9-13
break1 template D2-39
break1 template D2-41
Break2 footer template
D9-15
Break2 header template
D9-15
break2 template D2-39
break2 template D2-41
browsing T4-5
buffer T8-10
Business plan T10-1
Business plan example
T10-3

C

Call S2-3
Call S2-7
Call T3-1
cancel deleting T6-15

cancel printing T9-22
Carriage Return Line Feed T9-19
Carriage Return Line Feed T9-3
CAS: T9-15
cell explanation D9-4
cell formatting D4-17
cell formatting-quick ref D4-20
cell notes D9-3
cell reference D6-6
centered headline T9-37
change headings T4-5
changing base values D9-9
characters T8-13
CHG D10-2
CHG D6-9
children T6-6
children T8-10
children T8-6
children T9-38
Chipmunk disk drive T10-5
clone T2-3
clone T6-2
clone T8-2
clone sign "&" T7-14
Cloning capabilities T7-12
cloning instructions T7-13
CODE-0 symbol D2-3
CODE-0 symbol D4-24
CODE-0 symbol D4-32
cold start S2-3
collapse T10-2
collapse subheadings T6-1
collapse the outline T7-5
column AA D7-5
columns D5-3
COM: T9-13
compatibility link T8-12
compiling records D4-1
concept development T10-2
control down arrow T4-11
control down arrow T6-7
control left arrow T4-11
control left arrow T6-7
control right arrow T4-11
control right arrow T6-7
control up arrow T4-11
control up arrow T6-7
converting Lucid files S3-7
Copy S1-2
copy T2-3
copy T6-2
copy to print T9-37
copy vs. clone T7-12
Copying T8-1
copyright notice S2-3
corrections T7-23
correspondence T10-5
Create Data file D1-1
Create mode T4-3
Create mode T4-6
Create mode T8-13
Create View Files D1-1
create window T6-1
creating a text file T5-1
creative thought generator
cross compatibility S1-1 T1-1
cross compatibility S1-1
CTRL arrows S3-3
CTRL DEL BKSP T4-11
CTRL DEL BKSP T5-6
CTRL DEL BKSP T6-13
CTRL DEL BKSP T6-14
CTRL down arrow S1-4
CTRL down arrow S1-5
CTRL down arrow key D1-14
CTRL up arrow T9-35
CTRL up arrow T9-36
CTRL up arrow key D1-13
cursor location T9-37
cursor movement S3-3
custom input screens D7-1
customer list D4-2
customize printing T9-11
customized form letters D3-11

Cut S1-2
Cut S3-6
cut T2-3
Cut T6-2
Cut T7-20
cut T8-4
Cutting T8-1
CWAX T3-2
CWAX.CT T3-3 D3-1

D

data entry S1-5
data file sort D4-36
data formulas D6-12
data function key tree
D10-3
data functions D10-1
data functions D6-1
data reference D9-5
Data Report 1 D4-24
Data Report 1 D9-1
Database S1-1
database S1-5
database records D5-3
default setting T9-12
default types D8-4
defaults T9-1
defaults T9-4
DEL BKSP T6-13
delete T5-6
delete T6-14
deletion capability T6-1
deletion keys T6-13
descending order sort
S3-11
dip switch T9-19
Disk+ T8-15
Disk+ T9-14
diskette/cassette storage
T5-9
display T5-4
document additions T7-23
Document creation T10-1
document creation T2-3

Document file management
T10-5

document files T10-5
document line T5-5
documents T5-1
documents T9-29
dollar format D4-9
dot "." T5-4
double arrow sign T7-20
double space T9-16
down arrow T4-10
down arrow T4-7
down arrow T6-6
drag T6-15
drag T6-2
drag T8-10
duplicate T7-12

E

edit T4-5
Edit mode T6-1
edit window T6-3
editing T7-23
electronic mail S1-4
electronic mail S1-4
empty line T4-5
Enter key S1-4
Enter key S1-5
ENTER key D1-9
error message T9-7
ESC (escape) key T6-14
example addresses D1-11
example input screen D1-8
example names D1-11
example report block D9-3
example template D1-17
existing file T3-2
exiting from Review/Revise
T6-21
exiting to the main menu
T3-3
expand T2-8
expand collapsed headings
T2-3

expand
 collapsed subheadings
expand- purpose T7-5
extended price D4-20
extension field D4-22
extra blank invoice D4-31
extra line T9-39

F

F1 (Edit) D1-10
F1 (Edit) D8-9
F1 (Find) T7-2
F1 (Go) T9-21
F1 (Go) T9-25
F1 (Left) T9-24
F1 - Find T6-17
F1- View D8-7
F2 (Dupe) D4-23
F2 (Dupe) D8-9
F2 (Hide) T7-5
F2 (Rprt) D1-20
F2 (Rt) T9-25
F2 - Show T6-17
F2- Rprt D8-7
F3 (Ftr) T9-26
F3 (New) S3-1
F3 (Outp) T9-12
F3 (Outp) T9-41
F3 (Prev) D1-10
F3 (Prev) D8-10
F3 (Save) T8-18
F3 (Show) T7-8
F3 - Hide T6-17
F4 (Clone) T7-12
F4 (Indt) T9-27
F4 (Lnspl) T9-16
F4 (Next) D1-10
F4 (Next) D8-10
F4 (Sort) T8-6
F4 - Clone T6-18
F4 - Sort T6-18
F5 (Copy) T8-8
F5 (Drag) T7-13

F5 (Drag) T7-20
F5 (Drag) T9-38
F5 (Nbrs) T9-31
F5 (Nbrs) T9-35
F5 (Paus) T9-18
F5 (Vwpt) D8-10
F5 - Copy T6-18
F5 - Drag T6-18
F6 (CRLF) T9-19
F6 (Cut) T8-10
F6 (Data) D1-20
F6 (Last) T9-33
F6 (Last) T9-35
F6 (Text) T5-5
F6 (Text) T7-23
F6 (Text) D8-11
F6 - Cut T6-18
F6 - Text T6-18
F6-Text D8-7
F7 (Lucd) D1-15
F7 (Lucd) D8-11
F7 (Sel) T8-3
F7 (Sel) T8-6
F7 (Sel) T8-8
F7 (Set) T10-2
F7 (Set) T9-23
F7 (Set) T9-35
F7 (Xtra) T10-2
F7 (Xtra) T9-39
F7 - Select T6-18
F8 (Exit) T7-23
F8 (Exit) T9-25
F8 (Exit) D8-12
F8 - Exit T6-18
false relational
 expression D6-4
field length D1-6
field length definition
 D1-4
field reference D6-7
field specifier (dateref)
 D7-4
field templates D1-16
fields D5-2
filename T5-1

fill in the blank forms

D7-1

Find S3-4

Find D8-13

Find key D1-12

finger and notch S2-2

first heading T4-3

first heading T9-34

first subheading T9-34

flat files D5-5

flush left T6-9

footer S3-1

form letters D3-1

format T4-2

formatting S1-6

function keys S2-3

function keys- F7 (Sel) key

T8-4

function keys- F7 (Set) key

T9-23

function keys- F7 (Set) key

T9-29

function keys- Print key

T9-7

function keys-

Review/Revise

T6-17

function keys-

Review/Revise

T7-1

function keys-

Review/Revise

T8-3

function keys- Super ROM

T3-1

G

global expand T7-8

global show T7-9

Goto > D8-13

Goto key D1-12

Goto: S3-8

grand total template

D2-39

grand total template

D2-41

grand total template

D4-25

grand total template

D9-12

GRPH-M D3-10

H

headers S3-1

heading T7-20

headings T2-6

headings- indentation

T9-27

headings- multiple T4-2

headings- numbering T9-31

headline T4-1

headline characters T4-1

headline characters T8-14

help screen D2-1

hidden subheadings T2-7

Hide and Show T7-8

hoist T2-8

hoisting T6-9

I

I.D. code D5-6

idea processor S1-2

idea processor T2-1

indent T4-3

indent T4-9

indent T9-27

Indentation Example T9-28

information source files

D4-1

input and update screen

D4-7

input formatting D8-3

input screen appearance

D5-1

input screen design D7-3

input screen template D1-3

Insert mode T4-6

installation S2-1

instant updating T7-13

INT D6-1

integrated S1-1

integrated S1-1

inventory D4-2
inventory view file D4-6
invisible buffer T6-19
invoice S1-6
item D2-40
item D9-12

J

join formula D4-14
join formula D4-16
join formula D4-18
join operations D5-5
JYN D10-1
JYN syntax D6-6
JYN- Join D6-6

K

key cell S3-11
kill T5-8

L

LABEL D8-12
label format D8-3
LABEL key T4-14
LABEL key T6-17
LABEL key T6-19
label type input D4-8
Last level to number
T9-31
Last level to print T9-33
left arrow T4-10
left arrow T6-6
left arrow key D1-9
left margin T9-24
left margin D4-30
left Margin D9-10
Level example T9-40
levels T9-33
levels T9-35
Library T9-41
line item template D2-39
line item template D2-40
line item template D4-25
line item template D9-12

line spacing T9-16
lines per page D4-30
lines per page D9-9
LIST.DO D1-15
LIST.DO D1-20
LN1 D10-3
LN1 D6-11
LN2 D10-3
LN2 D6-11
LNG D10-3
LNG D6-11
Load T4-14
load T5-10
load T5-8
logical operators D10-1
logical operators D9-6
Lotus S1-3
LPT: T9-13
Lucid S1-1
Lucid S1-3
Lucid S1-4
Lucid T3-1
Lucid capabilities S1-3
Lucid capabilities S1-5
Lucid Data T3-1
Lucid Database definition
D5-1
Lucid Database enhancements
S3-3
Lucid Database features
D6-1
Lucid Database Quickref
D10-1
Lucid enhancements S3-1
Lucid File ? D1-2
Lucid Find S3-8
Lucid Sort S3-10
Lucid spreadsheet S1-1
Lucid worksheet T6-2

M

mailing labels S1-6
mailing labels D9-8
mailing list D1-15
mailing list D1-3

mailing list D2-1
 mailing list viewpoint D8-5
 main menu S2-2
 main menu T3-1
 main menu T3-3
 margins T9-24
 Master file example T10-6
 match D4-19
 match D6-6
 matrix data structure S1-5
 matrix data structure S1-5
 MDM: T9-14
 memory T9-9
 merge document creation D3-4
 minus sign T2-5
 minus sign T4-3
 Mixed sort T8-7
 Model 100 S1-1
 Model 100 S1-1
 Model 100 S1-6
 Model 100 capability S1-3
 Model 200 S1-1
 Model 200 S1-1
 movement control keys T6-6
 movement control keys T7-1
 movement controls T6-1
 movement keys T4-10
 multiple columns S3-11
 multiple fields D1-6
 multiple item invoice D4-36
 multiple labels D1-20
 multiple page input form D8-1

N

NB1 D10-3
 NB1 D6-11
 NB2 D10-3
 NB2 D6-11
 NBP D10-3
 NBP D6-11
 new default T9-6

new file T3-2
 New Filename T3-2
 new headings T4-3
 new prompt line D4-33
 new view template D2-3
 No match T7-3
 NOT D10-1
 NOT D6-2
 NUL D10-1
 NUL D6-9
 number across D10-4
 number across D9-8
 number tracking system T1-1
 numeric typing D4-8
 numeric value D8-14
 Numerical sort T8-6

O

option ROM socket S2-1
 order T4-9
 Organizer T1-1
 orphans T7-20
 orphans T8-10
 outline arrangement T2-2
 Outline example T9-42
 Outline example T9-42
 outline files T3-2
 Outline Illustration T4-1
 outline mechanics T2-4
 outline processor S1-4
 outline processor T2-1
 output template S1-6

P

page feed D2-40
 page feed D9-13
 page footer template D2-39
 page footer template D2-41
 page footer template D4-26
 page footer template D9-13

page header template D2-39
page header template D2-40
page header template D4-25
page header template D9-13
page number footer T9-25
paper T9-25
paragraph symbol D8-1
parallel line printer T9-12
parallel line printer T9-3
parent T6-6
parent T8-10
parent T8-6
PASTE S1-2
PASTE S3-4
PASTE S3-6
PASTE T2-10
PASTE T2-3
PASTE T6-19
PASTE T6-2
PASTE T7-20
PASTE T8-1
PASTE T8-12
PASTE T8-14
PASTE T9-37
PASTE buffer T8-11
PASTE buffer T8-2
PASTE buffer T8-8
PASTE capabilities T8-12
Phone T9-13
plus sign T2-5
plus sign T4-5
plus sign D8-14
pointer D9-13
pound sign (#) D7-6
pre-formatted letter D3-3
pre-programmed defaults T9-4
print T2-3
PRINT T6-19
PRINT D8-12
print capabilities T9-1

PRINT function key D4-33
Print key T9-7
PRINT key- View D2-4
print levels T9-33
print levels T9-35
print settings T9-9
print single invoice D4-33
printer T9-41
Printer not ready T9-21
Printer not ready T9-8
printer specifications D9-10
printing T2-10
printing a merge file D3-8
printing default T9-34
printing invoices D4-2
printing invoices D4-31
printing options T9-11
printing options T9-2
printing options T9-23
printing- from View D2-1
printing- starting T9-21

product description field D4-22
product I.D. field D4-22
Project plan T10-1
project plan example T2-5
purchase orders D5-6

Q

Qty:field D4-22
question mark T3-2
question mark T4-3
question mark T5-7
question mark key D8-13

R

RAM file T9-41
range selection S3-10
rearrange T7-20
record movement D1-13
record number D2-39

record number D8-5
 record number fields D7-6
 record selection D9-5
 records D5-2
 redirectable output T9-3
 redundancy elimination D5-5
 redundancy example D5-6
 regular field D2-39
 regular fields D7-4
 Relational Database S1-1
 relational example D4-1
 relational example steps D4-3
 relational operators D10-1
 relational operators D6-5
 relational operators D9-6
 removal S2-7
 report files D4-1
 report generation D6-6
 Report Specifier Block D1-18
 report specifier block D10-4
 report specifier block D3-5
 report specifier block D4-28
 report specifier block D4-31
 report specifier range D4-24
 report specifier range D8-12
 report template design D1-15
 report template file D4-24
 report template files D7-1
 report template order D10-5
 report template order D9-15
 result column D6-9
 reverse video T8-11
 reverse video bar T3-2
 reverse video line T6-3
 reverse video- blocking T8-4
 reverse video- blocking T8-9
 reverse video- blocking T9-19
 reverse video- Ftr T9-26
 reverse video- Paus T9-18
 Review/Revise T4-5
 Review/Revise T5-5
 Review/Revise T6-1
 Review/Revise T6-21
 Review/Revise T7-22
 Review/Revise T7-23
 Review/Revise capabilities
 right arrow T4-10
 right arrow T6-6
 right arrow key T4-8
 right arrow key D1-9
 Right margin T9-25
 root T2-7
 root T4-1
 root T7-5
 row T8-14
 RS232 T9-13
S
 sales and invoice system D4-1
 sales data file sort D4-29
 sales input screen D4-12
 sales input screen D4-21
 sales record D4-2
 sample customers D4-5
 sample files D6-8
 sample outline T6-5
 sample products D4-10
 save T9-9
 save to cassette T8-18
 save to cassette T8-5
 search and replace S3-1
 second viewpoint screen

D2-1
 Seed Example T7-14
 Select S1-2
 Select S3-5
 select T2-3
 selecting T8-1
 selecting a record D6-5
 selection criteria D6-12
 selection criteria D9-4
 selection criterion D10-4
 selection criterion D4-28
 selection criterion cell
 selection criterion cell D1-18
 selling price field D4-8
 sequential invoice number D6-5
 sequential search D6-6
 serial numbering D9-9
 serial printer T9-13
 serial printer T9-3
 setting default formats D4-29
 SHIFT DEL T4-11 D8-11
 SHIFT DEL BKSP T6-13
 shift down arrow T4-11
 shift down arrow T6-10
 shift down arrow T6-7
 shift down arrow key D1-9
 SHIFT F2 T6-17
 SHIFT F3 (Show) T7-8
 shift left arrow T4-10
 shift left arrow T6-6
 shift right arrow T4-10
 shift right arrow T6-6
 shift up arrow T4-10
 shift up arrow T6-10
 shift up arrow T6-6
 shift up arrow key D1-9
 Shift/Break T9-22
 side switch S2-1
 single space T9-16
 six report template
 files D9-11

Sort S3-4
 Sort T6-2
 sort T8-1
 Sort examples S3-16
 sort the database D9-6
 Sorting T8-1
 space elimination D3-2
 spaces T8-16
 special default type D4-8
 special fonts T9-41
 special forms D2-40
 special report
 viewpoints D8-8
 spreadsheet S1-4
 spreadsheet T2-10
 spreadsheet files D5-1
 spreadsheet formulas D5-4
 spreadsheet rows D5-3
 spreadsheet structure D5-3
 square brackets D1-4
 square brackets D7-3
 stable sort D4-36
 Staff Assignment Example
 T7-14
 Standard ASCII sort order
 S3-15
 starting S2-2
 starting counts D10-4
 starting counts D9-9
 stretching cursor T8-20
 stretching cursor T8-3
 subheading T7-20
 subheadings T10-2
 subheadings T2-6
 subheadings -indented T4-3
 subheadings- collapsing
 T7-5
 subheadings- creating T4-8
 subheadings- multiple T4-2
 subheadings- numbering
 T9-31
 subheadings- sorting T8-6
 subsidiary heading T4-8
 subtotal break 1 D9-8

Subtotal Break criteria		text files T7-23
	D9-6	text files D5-1
subtotal information		text preparation T5-3
	D9-12	Think Tank S1-3
summary reports	D2-40	Think Tank S1-3
summary reports	D9-12	Think Tank T2-1
Super ROM	S1-1	Think Tank T8-15
SUPER ROM	T3-1	Think Tank T8-15
Super ROM	T8-12	Thought S1-1
Super ROM introduction		Thought S1-1
	S1-1	Thought S1-3
Super ROM main menu	D1-1	Thought S1-4
Super ROM main menu	D4-3	Thought T1-1
Super ROM menu	S2-3	Thought T3-1
Super ROM menu	T3-1	Thought T8-12
Super ROM results	S1-4	Thought definition T2-1
Super ROM ribbon	S2-7	Thought features T1-1
system bus	S2-1	Thought possibilities

T2-11

T

TAB	S3-3	title	T2-5
TAB	T4-11	title headline	T7-5
TAB	T4-8	title headline	T9-37
TAB	T6-21	title line	T4-3
TAB	T8-16	title line	T9-33
TAB key	D1-9	title line	D8-5
Tab width	T9-27	TL1	D10-2
tangle error	T7-19	TL1	D6-10
target range keys	D6-6	TL2	D10-2
template design	D7-3	TL2	D6-10
template editing	D3-7	TLG	D10-2
template file features		TLG	D6-10
	D9-11	total due	D4-26
template file name	D1-18	total integration	T2-1
template file special code		triple space	T9-16
	D9-11	true match and fill	D3-1
template separator	D2-39	true operands	D6-2
temporary headline	T9-38	twin	T6-2
TEXT	D1-16	twin	T7-12
text editing	T6-1	twin	T7-12
text editor access		two-button printing	T9-2
	- Super ROM S2-4	two-button printing	T9-6
Text file	T2-9	two-button printing	T9-7
text files	T5-1	type styles	T9-41

U

ultimate hide T7-11
Unbalanced selection
 T8-11
Unbalanced selection T8-4
Unbalanced selection T8-9
up S1-1
up S1-1
up arrow T4-10
up arrow T4-7
up arrow T6-6
user interface S1-2
user interface S1-2

V

View S1-5
view file construction
 D8-5
View file design D8-5
view file fields D4-13
view file fields D4-4
view file modification
 D2-2
View file name: D1-2
View file structure D8-1
View file templates D10-3
View function keys D4-4
View function keys D4-7
View function keys D8-9
View template files D7-1
view templat screen D2-3
viewpoint maximum D8-2
viewpoint separators D8-1
viewpoints D8-1
virtual field D2-39
virtual field formatting
 D4-20
virtual field formula
 D4-27
virtual fields D4-13
virtual fields D6-12
virtual fields D7-4
virtual window T4-2

W

wide bar cursor T3-1
wide bar cursor T4-5
word processor T2-2
word tracking system T1-1
Write ROM S1-1
Write ROM S1-1
Write ROM S1-4
Write ROM S1-4
Write ROM T3-1
Write ROM T9-13
Write ROM T9-14
Write ROM T9-37
Write ROM T9-39
Write ROM T9-39
Write ROM T9-41
Write ROM D3-1
Write ROM enhancements
 S3-1
Write ROM label line D3-3
Write ROM merge feature
 D3-7

X

XXXXXXX T9-15